

Countering Identity Theft through Digital Uniqueness, Location Cross-Checking, and Funneling*

P.C. van Oorschot¹ S. Stubblebine²

¹ School of Computer Science, Carleton University, Ottawa, Canada

² Stubblebine Research Labs, Madison, NJ, USA

Abstract. One of today’s fastest growing crimes is identity theft – the unauthorized use and exploitation of another individual’s identity-corroborating information. It is exacerbated by the availability of personal information on the Internet. Published research proposing technical solutions is sparse. In this paper, we identify some underlying problems facilitating identity theft. To address the problem of identity theft and the use of stolen or forged credentials, we propose an authentication architecture and system combining a physical location cross-check, a method for assuring uniqueness of location claims, and a centralized verification process. We suggest that this system merits consideration for practical use, and hope it serves to stimulate within the security research community, further discussion of technical solutions to the problem of identity theft.

1 Introduction and Motivation

Identity theft is the unauthorized use and exploitation of another individual’s identity-corroborating information (e.g. name, home address, phone number, social security number, bank account numbers, etc.). Such information allows criminal activities such as fraudulently obtaining new identity credentials, credit cards or loans; opening new bank accounts in the stolen name; and taking over existing accounts. It is one of today’s fastest growing crimes. In one Canadian incident reported in April 2004 [11], a single identity theft involving real estate lead to a \$540,000 loss. In 2002, reportedly 3.2 million Americans suffered an identity theft which resulted in new bank accounts or loans [1]. The severity of the problem has resulted in a recent U.S. law – the “Identity Theft Penalty Enhancement Act” – boosting criminal penalties for phishing (see below) and other identity fraud ([26]; see also [23]).

Despite growing media attention and numerous web sites (government-sponsored³ and other) discussing the problem, its seriousness continues to be under-estimated by most people other than those who have been victimized. The (U.S.) Identity Theft and Assumption Deterrence Act of 1998 specifically made the actual theft of another’s identifying information a federal crime, and created the Identity Theft Clearinghouse Database – a central database of identity theft complaints used by law enforcement. In contrast to this generally reactive tool (which helps victims after-the-fact), the most common preventative measure

* Version: 16 Sept. 2004. Author addresses: paulv@scs.carleton.ca, stuart@stubblebine.com

³ For example, see <http://www.consumer.gov/idtheft/>

to date seems to involve efforts to educate the public to more carefully guard personal information. In the research literature to date, there appear to be few effective technical solutions or practical proposals (see below and in §2), none of which to our knowledge have been adopted successfully to the point of decreasing identity thefts in practice.

“Activity profiling” by credit card companies – a form of anomaly detection in customer usage of a credit card – partially addresses the problem of stolen or fraudulent credit cards, but not that of identity theft itself. While consumers have limited liability on use of fraudulent credit cards in their name, once such cards are used to mint new identification credentials beyond the realm of credit cards, the limit to liability disappears. Regarding protection afforded by banks, in the United States (but reportedly not Canada), when one major bank puts an alert on a name, a common clearinghouse (limited to banks) allows all major banks to share that warning [15].

Unfortunately, identity theft appears to be a system-level problem that no one really “owns”, and thus it is unclear whose responsibility it is to solve. Sadly, individual citizens are poorly positioned to solve this problem on their own, despite being the victims suffering the most in terms of disrupted lives, frustration and lost time to undo the damage – especially when stolen identity information is used to mint new forms of identity-corroborating information (or e.g. new credit cards) unbeknownst to the legitimate name-owner. According to one 2003 report [1], victims averaged 60 hours “to resolve the problem” of an identity theft, e.g. getting government and commercial organizations to stop recognizing stolen identification information, and to re-issue new identity information.

Among those perhaps in the best position to address identity theft are the national consumer credit reporting agencies – e.g. in the U.S., Equifax, Experian, and Trans Union. Among other things, the credit bureaus can when necessary post alerts on credit files of individuals whom they suspect are subjects of identity theft [15]. However, it is unclear how strongly the business models of credit bureaus motivate them to aggressively address the problem, and surprisingly some have reportedly opposed certain measures which aid in identity theft prevention (e.g. see [1]). Moreover, at least one such organization⁴ was itself exploited by criminals in an incident raising fears of large-scale identity theft.

*Phishing*⁵ is a relatively new Internet-based attack used to carry out identity theft. “Phishing kits” now available on the Internet allow even amateurs to create bogus websites and use spamming software to defraud users [29]. A typical phishing attack involves email sent to a list of target victims, encouraging users to visit a major online banking site. By chance a fraction of targeted users actually hold an account at the legitimate site. However the advertised link is to a spoofed site, which prompts users to enter a userid and password. Many legitimate users do so immediately, thereby falling victim. This is a variation of an attack long-known to computer scientists, whereby malicious software planted on a user’s

⁴ Equifax Canada recently confirmed that in February 2004, 1400 consumer credit reports were “accessed by criminals posing as legitimate credit grantors” [14, 15].

⁵ See <http://www.ftc.gov/bcp/online/pubs/alerts/phishingalrt.htm>

machine puts up a fraudulent login interface to obtain the user’s userid and login password to an account or application.

Key logging attacks now rival phishing attacks as a serious concern related to online identity and sensitive personal information theft [17]. A recent example involved a trojan program *Bankhook.A* which spread without human interaction beyond web browsing, involved a (non-graphic) file named *img1big.gif*, and exploited a vulnerability in a very widely used web browser. Upon detecting attempted connections to any of about 50 major online banks,⁶ it recorded sensitive information (e.g. account userid and password) prior to SSL encryption, and mailed that data to a remote computer [25, 19].

Our contributions. We identify underlying problems facilitating identity theft, and propose a general authentication architecture and system we believe will significantly reduce identity theft in practice. The system combines a physical location cross-check, a method for assuring uniqueness of location claims, and a centralized verification process. We outline how the system prevents a number of potential attacks, and give two application examples with specific protocol messages. We propose an extension addressing the problem of acquiring fraudulent new identity credentials from stolen credentials. A major objective is to stimulate further research and discussion of technical solutions to the “whole” problem of identity theft (rather than subsets thereof – e.g. phishing and key-logging).

Organization. The sequel is organized as follows. §2 discusses further background and related work. §3 presents an overview of our proposed authentication system and architecture for addressing identity theft, a security analysis considering some potential attacks, and a discussion of preventing privacy loss due to location-tracking. §4 gives two example applications – for credit card authorization and verification of government identification – including application-specific protocol messages. §5 gives concluding remarks.

2 Fundamentals and Related Work

We first discuss credentials, then identify what we see as the fundamental issues facilitating identity theft, thereafter mention a relationship to issues arising in PKI systems, and finally review related work.

Credentials. We define *identity credentials* (*credentials*) rather loosely as “things” generally accepted by verifiers to corroborate another individual’s identity. By this definition, a credential may be digital (such as userid-password, or public-key certificate and matching private key) or physical (e.g. physical driver’s license, plastic credit card, hardware token including secret key). The looseness arises from situations like the following: the secret key within a hardware token is extracted, and as the key itself is then digital, essentially the important component of the physical token is now available in digital form – which we also

⁶ Text string searches were made for HTTPS connection attempts to URLs containing any of 50 target substrings. See Handler’s log (June 29, 2004) at http://isc.sans.org/presentations/banking_malware.pdf.

call *credential information*. A further looseness is that unfortunately some pieces of information, such as Social Security Number, are used by some parties as identity-corroborating data, even if provided verbally (rather than physical inspection of a paper or plastic card) – even though they are not generally treated as secret.

Fundamental underlying problems. There are numerous reasons why personal identities and credential information are so easily stolen, and why this is so difficult to resolve. We believe the fundamental problems facilitating identity theft include the following.

- F1: *ease of duplication*: the ease of duplicating personal data and credentials;
- F2: *difficulty of detecting duplication*: the difficulty of detecting when a copy of a credential or credential information is made or exists (cf. [16]);⁷ and
- F3: *independence of new credentials*: if existing credential information is used by an impersonator to obtain new credentials, the latter are in one sense “owned” by the impersonator, and usually no information flows back to the original credential owner immediately.

In particular due to F3, we see identity theft as a *systemic* problem, which cannot be solved by any single credential-granting organization in isolation. Regarding F2, a *copy* of a cryptographic key is digital data; a copy of a physical credential is another physical object which a verifier might accept as the original.

Identity theft is also facilitated by the availability of personal information (and even full credentials, e.g. stored at servers) on the Internet; and the ease with which many merchants grant credit to new customers without proper verification of identification. While we focus on the theft of credential *information*, the theft of actual physical credentials (e.g. authentic credit cards) is also a concern – but one more easily detected.

Relationship to PKI systems. We note there are similarities between detecting the theft and usage of password-based credentials and that of signature private keys; indeed, passwords and signature private keys are both secrets, and ideally in both cases, some form of theft checkpoint would exist at the time of verification. More generally, issues similar to those arising in identity theft arise in certificate validation within public key infrastructure (PKI) systems – most specifically, the revocation of private keys. There is much debate in practice and in academic research about revocation mechanisms, and which are best or even adequate. This has led to several *online status checking* proposals (e.g. OCSP [24] and SCVP [22]), to counter latency concerns in offline models. This suggests looking to recent PKI research for ideas useful in addressing identity theft (and vice versa). As a related result, we cite the *CAP principle* [7, 9]: a large-scale distributed system can essentially have at most two of the following three properties: high service availability; strong data consistency; and tolerance of network partitions.

⁷ Thus one cannot tell when an identity theft occurs. Often copies of identity information are made, used elsewhere, and detected later only after considerable damage has occurred.

Related work. The U.S. Federal Communications Commission (FCC) requires⁸ that by Dec. 31 2005, wireless carriers report precise location information (e.g. within 100 meters) of wireless emergency 911 callers, allowing automatic display of address information on 911 call center phones, as presently occurs for wireline phones. Companies must either use GPS in 95% of their cell phones by Dec. 31 2005, or deploy other location-tracking technology (e.g. triangulation or location determination based on distance and direction from base stations); thereafter emergency call centers must deploy related technology to physically locate callers. As of Feb. 2004, 18% of U.S. call centers have this technology [27].

While many technologies and systems exist for determining the physical location of objects, these generally are not designed to operate in a malicious environment – e.g. see the survey by Hightower and Borriello [12]. Sastry et al. [28] propose a solution to the *in-region verification problem* of a verifier checking that a claimant is within the claimed specified region. This differs from the more difficult *secure location determination problem* involving a verifier determining the physical location of a claimant. Gabber and Wool [8] discuss four schemes, all based on available infrastructure, for detecting the movement of user equipment; they include discussion of attacks on these systems, and note that successful cloning, if carried out, would defeat all four. All of the above references address a problem other than identity theft per se, where complicating matters include the minting of new credentials (see F3 above) and uniqueness of a claimant with the claimed identity; the binding of location information to a claimed identity is also critical.

Physical location has long been proposed as a fourth basis on which to build authentication mechanisms, beyond the standard “something you know, something you have, something you are”. In 1996, Denning and MacDoran [5] outlined a commercial location-based authentication system using the Global Positioning System (GPS), notwithstanding standard GPS signals being subject to spoofing (e.g. see [8, 30]). Their system did not seek to address the identity theft problem – for example regarding F2, note that in general, location information alone does not guarantee uniqueness (e.g. a cloned object may claim a different physical location than the original object); F3 is also not addressed.

One real-world system-level technique to ameliorate identity-theft is the *credit-check freeze* solution [1],⁹ now available in many states. An individual can place a “fraud alert” on their credit reports, thereby blocking access to it by others for a fixed period of time, or until the individual contacts the credit bureaus and provides previously agreed information (e.g. a PIN). Another option is selective access, whereby a frozen report can be accessed only by a specifically named inquirer. These methods apparently prevent identity thieves from getting (new) credit in a victim’s name, or opening new accounts thereunder, but again do not solve the problem of identity theft (e.g. recall F3 above).

Corner and Noble [3] propose a mechanism involving a cryptographic token which communicates over a short-range wireless link, providing access control (e.g. authentication or

⁸ See <http://www.fcc.gov/911/enhanced/> (see also [8]).

⁹ See also <http://www.ftc.gov/bcp/conline/pubs/general/idtheftfact.htm>

decryption capabilities) to a local computing device without user interaction. While not proposed as a solution to identity theft per se, this type of solution offers an innovative alternative to easily replicated digital authentication credentials – simultaneously increasing security and decreasing user interaction (e.g. vs. standard password login).

Chou et al. [2] proposed a client-side software plug-in and various heuristics for detecting online phishing scams. Lu and Ali [21] discuss using network smart cards to encrypt sensitive data for remote nodes prior to its availability to local key-logging software.

3 Authentication based on Uniqueness, Location and Funneling

A high-level overview of our proposed authentication system is given in §3.1 (more details for example applications are given in §4). A partial security analysis is given in §3.2. Privacy refinements are discussed in §3.3.

3.1 High-level Overview of New System

Our goal is a system which prevents, or significantly reduces, occurrences of identity theft in practice. Our design is as follows. Every system user has a hardware-based *personal device*,¹⁰ e.g. cell phone or wireless personal digital assistant (PDA), kept on or near their person, and which can be used to securely detect their location¹¹ and securely map the person to a location, ideally on a continuous basis. We call this a *heartbeat locator*, perhaps initially simply based on existing infrastructure such as emergency wireless 911 technology (see §2).

Note that in many cases, if someone has your identification credentials, or a reasonable copy thereof, for all intents and purposes they *are* you from the viewpoint of a verifier. We therefore must address both credential theft and cloning. To address cloning, one general solution is to perform a check (providing reasonably high confidence) that the personal device does in fact remain unique; we call this an *entity uniqueness* mechanism. To aid in this, we require that all identity verifications be *funneled* through a centralized point, allowing a check to be made that no “irregularities” have occurred (based on ongoing device monitoring) for the personal device in question. For discussion of irregularities and more about theft and cloning, see §3.2.

In the process of a transaction being executed/processed, when an identity¹² is simply asserted (or ideally, confirmed by a first means), a secondary confirmation occurs based on the location of the transaction (e.g. merchant’s point of sale location) matching the location

¹⁰ Here “personal” implies that the device be able to identify (or can be associated with) a unique individual.

¹¹ By *securely detecting location* we mean: the detected location cannot easily be spoofed. In particular, if person P_A is factually at location L_A , then it must be very difficult (ideally infeasible in practice) for an attacker to arrange that a signal is sent indicating that P_A is at a different location $L_B \neq L_A$.

¹² An identity per se is not required – e.g. pseudonyms could be used, to enhance privacy (see §3.3).

the central service last recorded for the personal device corresponding to the asserted identity. This can thus be employed as a second-factor authentication system,¹³ with the features of (1) combining location determination with continuous location tracking; and (2) funneling all transactions through a single point. This effectively turns an offline or distributed verification system into an online one (cf. §2).

Extension addressing minting of new credentials. We now present a proposal to address issue F3 above (note that *some* such proposal is necessary to fully address identity theft). An extension of the above system is to require that a name-owner give explicit approval before certain actions specifically based on existing identity information – such as the minting of new credential information *not tied to the personal device* – are taken. In practice, a solution might be most effectively put in place by the national credit bureaus as a new service offering, to complement that of freezing access to credit records (see §2). Incoming queries regarding a consumer credit file could be required, by policy, to specify if the inquiry was being used to mint credentials which might reasonably be used as identity credentials by other responsible parties. The major credit bureaus might provide (in a coordinated manner) a central alert-centre to check if such credential minting was currently “allowed” by the legitimate name-owner (e.g. as indicated by a *minting bit* in the existing credit file). Reputable (participating) organizations which created any form of personal credential would agree¹⁴ to create new credentials only if the response from the centralized service indicated the minting bit was on. In this way, a cautious individual, even without prior identity theft problems, could have minting of new credentials disabled the majority of the time, as a pre-emptive measure.

3.2 Security Analysis and Discussion

In this section we provide a partial security analysis of the new proposal, and discuss necessary checks regarding the personal device. While we offer no rigorous security arguments here,¹⁵ we discuss a number of attack scenarios and how the system addresses these. We do not “prove” that the proposed system is “secure” in a general practical setting, and believe this would be quite difficult, as “proofs” of security are at best relative to a particular model and assumptions, with increased confidence in the relevance and suitability of these generally gained only over time. However we encourage further analysis to allow the proposal to be iteratively improved.

We begin by referring back to the three fundamental problems of §2. The system proposed in §3.1 addresses these as follows. The ease of credential duplication (F1) is reduced

¹³ Again, this is a systemic (multi-application) authentication system addressing identity theft, rather than a second-factor point solution limited to a particular application, such as credit card authorization.

¹⁴ We recognize that this would require a significant change in behaviour by many organizations, over a long period of time (which legislation might shorten). However, we expect that nothing less will solve the difficult problem of identity theft.

¹⁵ A more complete security analysis will be given in the full paper.

by the use of a hardware device; the capability to detect credential duplication (F2) is provided by the funneling mechanism and ongoing device monitoring (heartbeat mechanism); and the minting of new (fraudulent) credentials based on stolen authentic credentials (F3) is partially¹⁶ addressed by the “minting bit” extension.

Device irregularities, theft and cloning. Fraud mitigation strategies depend on users reporting stolen personal devices in a timely matter.¹⁷ However, some heuristics may also be effective to detect both theft and cloning. Examples of heuristic predictors of cloning include the same personal device appearing multiple times (two heartbeats asserting the same identity, whether at the same or distinct locations), or in two different locations within an unreasonably short period of time (taking into account usual modes of travel). A heuristic indicator of device theft is a user unable to correctly authenticate even though the location is verifiable (e.g. within range). These are all examples of *irregularities*. In this case, authentication attempts using the device within a short time thereafter may be suspect.

Personal devices flagged as having experienced sufficient irregularities should be disallowed from participating in transactions, or subject to additional checks. As suspicion arises regarding a device (cloning, theft or other misuse), extensions to the basic techniques are possible. For example, the personal device holder might be requested to provide an additional authentication factor to confirm a transaction. In essence, known techniques used for credit card activity profiling, which by system design are currently used only to mitigate credit card fraud, could be adapted to mitigate identity theft in the new system.

Note that a theft deterrent in this system is the risk of physical discovery – device possession allows location-tracking of the thief. Related to this, the deactivation (if featured) and re-activation of the device’s location-tracking feature should also require some means of user authentication, so that a thief cannot disable this feature easily, and if already disabled, the device is unusable for authentication.

Device uniqueness. While ideally the personal device would be difficult to physically duplicate, our proposal only partially relies on this, as duplicate heartbeats will lead to a failed verification check. To enforce device uniqueness, ideally both (1) each device is tracked continuously since registration; and (2) it can be verified that the user originally registering a device remains associated with the tracked device. We may consider the latter issue under the category of theft, and the former under cloning. In practice, monitoring could at best be roughly continuous, e.g. within discrete windows of time, say from sub-second to a minute; we expect this would not pose a significant problem. However there are practical constraints in even roughly monitoring devices – for example, wireless devices are sometimes out of range (e.g. in tunnels, or on airplanes) or turned off. Thus the system must address the situation in which for at least some devices, location-tracking is temporarily disabled.

¹⁶ Our proposal does not prevent an attacker from himself forging new credentials; but can prevent the use of stolen credentials to obtain new credentials from an authentic credential-generating organization.

¹⁷ Loaning a personal device to a non-malicious user (e.g. a relative or friend) does not necessarily cause an increase in fraud since those users generally are trusted not to commit fraud using the device.

It may be an acceptable risk to allow a device to be “off-air” for a short period of time (e.g. seconds or minutes), provided that it reappears in a reasonably plausible geographic location. Devices “off-air” for a longer period could be required to be re-activated by a user-to-system authentication means (i.e. not user-to-device). Personal devices which have gone “off-air” recently might be given a higher irregularity score, or not be allowed to participate in higher-value transactions (absent additional assurance) for some period of time.

Threats and Potential Attacks. The class of threats we are intending to protect against is essentially the practical world, or more precisely, any plausible real-world attack of “reasonable” cost (relative to the financial gain of the identity theft to the attacker). We consider here a number of potential attacks, and discuss how the system fares against them.

1. *Theft.* If the personal device is stolen or lost, the loss should be reported leading to all further verification checks failing; effectively this is credential revocation. Since often a theft is not immediately noticed or reported, the device should require some explicit user authentication mechanism (such as a user-entered PIN or biometric) as part of any transaction; the device should be shut down upon a small number of incorrect entries (possibly allowing a longer “unblocking PIN” for re-activation).¹⁸
2. *Cloning.* There can be no absolute certainty that the personal device has not been cloned or mimicked. If a clone exists, either it has a continuous heartbeat (case A), or no heartbeat (case B). In case A, assuming the original device also still has a heartbeat, the system will be receiving two heartbeats with the same device identifier, and flag an irregularity. In case B, if and when the cloned device is used for a transaction, its location will be inconsistent with previous heartbeats (from the legitimate device), and thus the cloned device will be unable to successfully participate in transactions.
3. *Theft, clone, return.* Another potential attack is for a thief to steal a device, clone it (in a tracking de-activated state), then “simultaneously” activate the clone and deactivate the original, and finally return the stolen device. The idea is then to carry out a transaction before the original device owner reactivates or reports the theft. Such an attack, if possible, would nonetheless make identity thefts significantly more difficult than today (and thus our goal would be achieved). A variation has the attacker inject unauthorized software in the original device, to completely control it (including the capability to remotely power it on and off), before returning it. Then at the instance of carrying out a transaction, remotely powering down the original before powering up the clone, to prevent detection of two heartbeats. However a geographic irregularity would arise (as the clone’s location would differ from that of the last heartbeat of the real device).
4. *Same-location attack.* An attacker, without possessing a target victim’s personal device, might attempt to carry out a transaction at the same physical location (e.g. retail store) as the target victim and that victim’s personal device. This attack should be prevented

¹⁸ Although a motivated and well-armed attacker can generally defeat user-to-device authentication mechanisms (cf. [8]), we aim to significantly reduce, rather than totally eliminate, occurrences of identity theft. We believe a 100% solution may be not only too expensive or user-unfriendly, but also non-existent.

by a requirement that a user take some physical action to commit a transaction (e.g. press a designated key, enter a PIN, or respond to an SMS message). A further refinement is an attacker attempting to carry out a transaction at the same place and the same instant as a legitimate user (and also possessing any other credentials necessary to impersonate the user in the transaction). Here the attacker would be at some physical risk of discovery, and one of the two transactions would go through. While this attack requires further consideration, it appears to be less feasible.

3.3 Privacy Enhancement

The proposal of §3.1 is a starting point towards a technical system-level approach to addressing identity theft. We acknowledge that it leaves many opportunities for enhancement, and contains some features which some may find unacceptable. Among these is the loss of privacy as a result of continual location-tracking. While there is always a price to pay for increased security, for some users this loss of privacy will clearly be above the acceptable threshold. Thus it is important to explore means to address this privacy issue (cf. [8, 20]).

A user can choose a Trusted Third Party he is willing to trust to maintain the privacy of his information. In many ways the user is already trusting the communication provider of his personal device (e.g. cell phone, and wireless internet) concerning the privacy of his location information.¹⁹

The “Wireless Privacy Protection Act of 2003” [13] requires customer consent related to the collection and use of wireless call location information, and call transaction information. Further it requires that “the carrier has established and maintains reasonable procedures to protect the confidentiality, security, and integrity of the information the carrier collects and maintains in accordance with such customer consents.” This or other legislation could mean that straight-forward approaches are practical if organizations can be trusted to adequately protect the data. However, in general, it may be argued that it is unlikely that many information-receiving organizations can be adequately trusted to protect location information and personal transaction data.

One might not wish to rely on regulation and trustworthiness of information holders to protect location and other personal information. Further work is needed to investigate techniques to resolve digital uniqueness with a trusted (or minimally trusted) third party. To this end, we suggest use of mix networks [6] and digital pseudonyms (e.g. based on the early work of Chaum [4]) to protect the identity, and source and destination of communications. Further discussion on this important topic is beyond the scope of this paper.

¹⁹ As a side comment, many people presently have far less privacy than they may presume, due to existing location-tracking technology such as wireless 911 services (see §2).

4 Example Applications

In this section we give two example applications for applying our proposed technology. The first example concerns credit card authorization in conjunction with a personal device. The second concerns authenticating government-issued identification credentials. In this section, we use personal device and mobile device synonymously.

4.1 Credit Card Authorization Example

We now give a protocol for integrating our proposed technology within a credit card processing framework. The entities in the protocol are the customer (C), point of sale terminal ($POST$), credit card authorization network ($CCAN$), and location verification service (LVS). The LVS comprises one or more networked entities that track the uniqueness and location of mobile device subscribers on behalf of customers and one or more verifiers. Consequently, we assume personal devices can be tracked using a heartbeat locator (as previously described in §3.1). For reference, we first list the exchanged messages.

Message 1 $C \rightarrow POST : CC$

Message 2 $POST \rightarrow CCAN : ID_{POST}, CC, Transaction$

Message 3 $CCAN \rightarrow POST : Conditional_Authorization, LVS, Token$

Message 4 $POST \rightarrow LVS : Token$

Message 5 $LVS \rightarrow POST : Status, \{Status, Time, MRI, Location_{POST}\}_{LVS, CCAN}$

where Token is $\{Time, MRI, Location_{POST}\}_{LVS, CCAN}$

Messages 2 and 3, and Messages 4 and 5 represent a query response type of exchange between the parties. The notation $\{X\}_{LVS, CCAN}$ represents confidentiality, integrity, and authenticity of the data X with respect to a mutually shared key between LVS and $CCAN$. In addition to this protection these exchanges employ a secure connection between the pair of entities. This protection includes mutual authentication, confidentiality, and message stream integrity.

Message 1 represents a physical or visual communication whereby the customer presents his credit card to the merchant $POST$ whereupon the merchant acquires credit card information (CC) including the credit card number, expiration date, and security code.

In Message 2, $POST$ initiates an authorization request through the credit card authorization network ($CCAN$). The authorization request includes the merchant identifier (ID_{POST}), CC , and other transactional data ($Transaction$). Upon receipt of this message $CCAN$ uses a table indexed by credit card numbers to determine the particular LVS and mobile reference identifier (MRI – see end of §4.1) for the particular credit card holder. $CCAN$ looks up $Location_{POST}$ (i.e. $POST$'s location per $CCAN$'s records) using another

table indexed by *POST*. *CCAN* uses this information to prepare Message 3 in response to the authorization request. The message contains a conditional authorization for the transaction subject to an obligation on the *POST*'s part (if enabled) to perform a location cross-check query to the *LVS* identified in the message. Also, within the message is an authorization token (i.e. $\{Time, MRI, Location_{POST}\}_{LVS, CCAN}$) for *POST* to use when obtaining location verification services from *LVS*. The authorization token contains the current time (*Time*), the *MRI* of the device to be queried, and the location of the *POST* per *CCAN*'s records (*Location_{POST}*).

In Message 4, *POST* submits a location cross-check query by forwarding the authorization token to *LVS*. *LVS* is about to authenticate the authorization token as having come from *CCAN*. Upon receipt of Message 4, *LVS* checks that *Time* is recent. Also, *LVS* uses standard techniques to determine that the request has not been previously responded to. Also the *LVS* checks *Location_{POST}* matches the current (or most recent known) location of the mobile device associated with *MRI*, per *LVS* knowledge – based on the *LVS* looking up the unique mobile device using the *MRI* as an index to the table. (Different *MRIs* from may refer to the same mobile device.) Finally, the *LVS* checks that the mobile device is reasonably persistent with no indication of irregularities (e.g. cloning) – as discussed in §3.2, this is a critical aspect of the *LVS* service.

Message 5 is the response to the location cross-check query. The response gives the status (*Status*), i.e. verified or unverified, of the location query. Also the response contains an encrypted component or receipt which can be used to prove the status check to *CCAN* if the conditional authorization is in dispute. An improvement could be to digitally sign the receipt so that the receipt can not be easily repudiated.

Our protocol has a number of attractive properties. First, as a privacy feature, a malicious *POST* acting alone can not easily determine the location of a mobile device even with a stolen credit card number. A location query is limited to verifying the specific location associated with the *POST* (i.e. *Location_{POST}* inserted in the authorization token by *CCAN*). Thus, the *POST* is unable to test the correctness of a guessed mobile device location, and responses to location queries do not reveal the mobile device's location.

Another attractive property is that *LVS* is distinct from *CCAN* and *LVS* can audit an *CCAN* which generates abnormal query patterns. Perhaps *CCAN* has a dishonest employee taking money to track the whereabouts of people. Abnormal patterns might include numerous queries for a customer with different locations within a short period of time, or numerous queries to the same location for the same customer at different times. An alternative design might have *LVS* tightly integrated with the *CCAN* whereby the *CCAN* would initiate the location cross-check itself. This would have the advantage of requiring no changes to the *POST* and reducing the overall delay for transaction processing since location verification could happen in parallel with credit card authorization. The downside is that location privacy assurances to the customer may be diminished.

Mobile Reference Identifier (MRI). The *MRI* embodies a means for referencing a personal device associated with the customer. A simple approach sets the *MRI* to the electronic serial number (ESN) (if applicable) of the personal device. However, this is problematic since the MRI could then be used to profile customers across multiple verification points or even across other applications and systems. If implemented carefully, the *MRI* is not useful to profile customers across multiple verification points or applications. *MRI* can be assigned uniquely per organization and customer pair. Alternatively, using standard cryptographic techniques, *MRIs* might be made unique per transaction. A different privacy issue concerns protecting the confidentiality of client locations respect to the even the *LVS*. The nature of the relationship between the mobile telecommunication company and the mobile subscriber seems to infer that the telecommunication company must be trustworthy (and possibly regulated [13]). Hence, this privacy issue is beyond the scope of the current technical description.

4.2 Government Identification Example

We now give an example of authenticating government-issued identification using a location verification service. The general approach is for a person or “customer” to register his mobile device in a manner whereby it may be associated with a government credential.²⁰ Laws could require a person’s authorization before conveying *any* location information concerning a person’s mobile device. A larger issue is the related work [10] on enabling users to control access to their location information as location-based services become popular.

The protocol participants include the person or customer (*C*) to be authenticated, the point of verification (*POV*), and the location verification service (*LVS*). Without loss of generality, we assume that *POV* also includes or has access to a verification network consisting of one or more (possibly remote) databases. These databases hold government identification information and a “black list” of identities. For the purposes of this example, we assume the government identification is a state driver’s license, and the point of verification is a U.S. immigration checkpoint on the U.S. - Canada border. We’ll assume that mobile devices are pre-registered with an *LVS* service and the *POV* is able to learn an authentic mobile reference identifier (*MRI*) associated with the user’s mobile device. For example, a by-product of registration is initializing the *POV* with the ability to determine a *MRI* (perhaps from transaction information) to be used in requesting location cross-checking

²⁰ Mandatory (or de facto) mobile device registration for the purposes of tracking could significantly degrade the privacy of individuals. Our goal is not to advocate such tracking but to better understand techniques for addressing privacy issues for credential verification involving location cross-checking.

services from the *LVS*. Perhaps, a customer benefits by having an expedited border crossing if registered. This pre-registration results in the *POV* having access to a database of $(Driver_ID, LVS, MRI)$ tuples.²¹ The message exchange sequence follows:

Message 1 $C \rightarrow POV$: $Driver_ID$
 Message 2 $POV \rightarrow LVS$: $Token1$
 Message 3 $LVS \rightarrow POV$: $[Status, Token1]_{LVS}$
 where $Token1$ is $[Time, MRI, Location_{POV}]_{POV}$

The general approach of this example is similar to the credit card authorization example. In Messages 2 and 3 the square brackets represent a digital signature using the private key of the subscribed entity (e.g. *POV* in Message 2). This notation implies that the data and the digital signature are conveyed in the message. As with the prior example, we assume that the exchange of Messages 2 and 3 is secured by a connection whose protection include mutual authentication, confidentiality, and message stream integrity.

As illustrated in Message 1, the customer gives the physical driver's license to the *POV*.

In Message 2, the *POV* sends a digitally signed message containing the driver's license to an *LVS* associated with handling *LVS* inquiries associated with that driver's license. The signed message contains the current time (*Time*), the *MRI* corresponding to *Driver_ID* obtained from a table lookup of $(Driver_ID, LVS, MRI)$ tuples, and the *POV*'s assertion of its own location ($Location_{POV}$). The signature on the message gives evidence that *POV* made the request to verify the location information. Later this message can be reconciled with audit trails at the *LVS* and user authorizations if a privacy dispute evolves.

Upon receipt of Message 2, *LVS* checks that *Time* is recent and standard techniques are used to determine that the message has not previously been received. Optionally, *LVS* refers to a database table of $(POV, POV_Location)$ to determine that $POV_Location$ equals the received location, $Location_{POV}$. This counters the threat of a rogue *POV* (or employee of the *POV*) from submitting unauthorized location queries (e.g. an employee making queries to determine the location of another individual).

Next, *LVS* checks whether these locations match the current physical location (per *LVS* knowledge) of the mobile device indicated by *MRI*. Finally, *LVS* checks that the mobile device is not associated with irregularities (see §3.2).

In Message 3, *LVS* sends a signed response including *Status* (verified or unverified) and a reference to the original request.

The above protocol illustrates how government identification verification can be made more resilient using our techniques. Also it illustrates techniques for protecting location privacy of the customer through splitting the functionality of the verifier and the location

²¹ Registration details will be described in the full version of the paper.

based service, and limiting the capability of the verifier in choosing the device and location to be checked.

5 Concluding Remarks

We have proposed an architecture and system for authentication involving a physical location cross-check, and reliance on an entity uniqueness property and funneling within the verification process. While the system is relatively simple – essentially a selective combination of existing technology and techniques – we believe it may be successful at stopping many forms of identity theft. This appears to be among the first technical proposals to address identity theft in a research paper. Indeed, part of the problem is that it is not clear which research community is a natural “owner” of the problem. Although in many ways more of a system-engineering than a traditional security problem, we believe that increasingly, technical solutions to identity theft will fall to the security research community. Indeed, phishing for passwords and installation of key-logging software/hardware, which both facilitate identity theft, are problems whose solutions one would naturally seek from the security research community.

It should be clear that we have not yet built the proposed system, even in a test environment, and doing so could not “prove” our proposal was secure in a practical sense. The only true way to test such a system would be to observe any reduction in identity thefts in a real-world deployment. Nonetheless, we believe this paper lays out sufficient details for security-aware systems-level engineers within appropriate organizations (e.g. major credit card associations, banks, credit rating agencies, or national ID card system designers – cf. [18]) to implement such a system.

Effectively, our proposal is a mechanism for enforcing unique ownership of names (i.e. identities), and includes an extension addressing the minting of new (fraudulent) credentials from stolen credentials. We encourage the research community to explore alternate solutions to the latter problem, which is closely linked to that of identity theft.

References

1. CNN.com, “Anti-identity theft freeze gaining momentum; Credit companies resist measure”, Aug.3 2004, <http://www.cnn.com/2004/TECH/biztech/08/03/security.freeze.ap>.
2. N. Chou, R. Ledesma, Y. Teraguchi, J.C. Mitchell, “Client-side defense against web-based identity-theft”, proceedings of *Network and Distributed System Security (NDSS’04)*, Feb. 2004, San Diego.
3. Mark D. Corner, Brian D. Noble, “Zero-Interaction Authentication”, proceedings of *MOBICOM’02*, 23–28 September 2002, Atlanta.
4. D. Chaum, “Untraceable electronic mail, return addresses, and digital pseudonyms,” *Communications of the ACM*, ACM 1981, pp. 84-88.
5. D.E. Denning, P.F. MacDoran, “Location-Based Authentication: Grounding Cyberspace for Better Security”, *Computer Fraud and Security*, February 1996.
6. H. Federrath, A. Pfizmann, A. Jerichow, “MIXes in Mobile Communication Systems: Location Management with Privacy, ” Workshop on Information Hiding, Cambridge (UK), 1996.

7. A. Fox, E. Brewer, "Harvest, Yield and Scalable Tolerant Systems", proceedings of *HotOS-VII*, 1999.
8. E. Gabber, A. Wool, "On Location-Restricted Services", *IEEE Network*, November/December 1999.
9. Seth Gilbert, Nancy Lynch, "Brewer's conjecture and the feasibility of consistent, available, partition-tolerant web services", *Sigact News* 33(2), June 2002.
10. Carl A. Gunter, Michael J. May, Stuart G. Stubblebine, "A formal privacy system and its application to location based services", in: *Workshop on Privacy Enhancing Technologies 2004*.
11. Darcy Henton, "Identity-theft case costs taxpayers in Alberta \$540,400", 12 April 2004, *The Globe and Mail*, Toronto.
12. J. Hightower, G. Borriello, "Location Systems for Ubiquitous Computing", *IEEE Computer*, Aug.2001.
13. Wireless Privacy Protection Act of 2003, 108th Cong, H.R. 71 (United States).
14. Mark Hume, "Security breach lets criminals view Canadians' credit reports", 16 March 2004 (page A1/A7), *The Globe and Mail*, Toronto.
15. Mark Hume, "Identity theft cited as threat after Equifax security breach", 17 March 2004 (page A7), *The Globe and Mail*, Toronto.
16. M. Just, P.C. van Oorschot, "Addressing the problem of undetected signature key compromise", proceedings of *Network and Distributed System Security (NDSS'99)*, Feb. 1999, San Diego.
17. G. Keizer, "Internet Scams Cost Consumers \$2.4 Billion", TechWeb News, InternetWeek, 16 June 2004.
18. S.T. Kent, L. Millette, eds., *IDs - Not That Easy: Questions About Nationwide Identity Systems*, National Academies Press (U.S.), 2002.
19. Robert Lemos, "Pop-up program reads keystrokes, steals passwords", CNET News.com, 29 June 2004, <http://news.com.com/2100-7349-5251981.html>.
20. P. Lincoln, P. Porras, V. Shmatikov, "Privacy-Preserving Sharing and Correlation of Security Alerts", in: proceedings of *13th USENIX Security Symposium*, August 2004, San Diego.
21. Karen Lu, Asad Ali, "Prevent Online Identity Theft - Using Network Smart Cards for Secure Online Transactions", *2004 Information Security Conference (ISC'04)*, Sept. 2004 (to appear), Palo Alto.
22. A. Malpani, R. Housely, T. Freeman, Simple Certificate Validation Protocol (SCVP), Internet Draft (work in progress), draft-ietf-pkix-scvp-15.txt, July 2004.
23. Declan McCullagh, "Season over for 'phishing'?", CNET News.com, 15 July 2004, <http://news.com.com/2100-1028-5270077.html>.
24. M. Myers, R. Ankney, A. Malpani, S. Galperin, C. Adams, X.509 Internet Public Key Infrastructure: Online Certificate Status Protocol - OCSP, Internet Request for Comments 2560, June 1999.
25. Panda Software, Bankhook.A (Virus Encyclopedia entry), <http://www.pandasoftware.com/virusinfo/encyclopedia/overview.aspx?idvirus=49138>.
26. Public Law No. 108-275, "Identity Theft Penalty Enhancement Act", United States, July 2004.
27. Jonathan D. Salant, "Call centers lag in cell-phone tracking upgrade, group says", 6 February 2004, (page A8), *The San Diego Union Tribune*.
28. N. Sastry, U. Shankar, D. Wagner, "Security verification of location claims", in: *2003 ACM Workshop on Wireless Security (WiSe 2003)*.
29. James Sherwood, "So you want to be a cybercrook...", CNET News.com (ZDNET UK), Aug.29 2004, <http://zdnet.com.com/2100-1105-5317087.html>.
30. John A. Volpe National Transportation Systems Centre, Vulnerability Assessment of the Transportation Infrastructure Relying on the Global Positioning System, Final Report, 29 August 2001.